



**Augustine Announces Impact of New Gold Discoveries on Wawa Gold Project
And Update on Financing and Merger**

NEWS RELEASE

January 21, 2016

Toronto, Ontario, January 21, 2016, Augustine Ventures Inc. (CSE: WAW) (“Augustine”) and Red Pine Exploration Inc. (TSX-V: RPX) (“Red Pine”) (collectively the “Companies”) wish to provide a summary of work completed to date and highlight findings at their Wawa Gold Project, located about 2 kilometres east of Wawa, Ontario, Canada.

New Gold Discoveries Greatly Expand the Wawa Gold Corridor – Goal to Expand Current Resource

Red Pine’s exploration work in 2015 and early 2016 has defined an open pit and underground gold resource (the Surluga Deposit) and discovered five near surface gold deposits to the west and east of the Surluga Deposit. The implication of these results is the Surluga Deposit is not isolated but rather part of a much broader gold system labelled the Wawa Gold Corridor*.

The Wawa Gold Corridor contains these gold zones listed from west to east (Figure 1):

- Hornblende Shear Zone;
- William Gold Zone;
- Jubilee Shear Zone (Surluga Deposit);
- Minto Shear Zone;
- Sunrise Shear Zone; and,
- Mickelson Shear Zone.

The Wawa Gold Corridor is about 1.5 -2.0 kilometres wide and remains open in all directions. The Wawa Gold Project is about 5.5 kilometres wide in the area of the corridor and about 8 kilometres long. It will continue to be explored in an effort to expand the known gold resource contained in two pit shells and an underground block model (SRK Consulting (Canada) Inc., May 26, 2015):


Resource Category Inferred	Cut-off Gold (g/t)	Quantity (t)	Grade Gold (grams/tonne)	Contained Metal Gold (ounces)
Pit Constrained	0.40	10,239,000	2.05	676,000
Outside Pit Constrained	0.40	8,630,000	1.07	298,000
Underground	2.50	955,000	3.73	114,000
Total	0.50	19,824,000	1.71	1,088,000

The inferred grade and thickness of the Hornblende Shear and William Gold Zone as compared to the know Surluga Deposit¹ are shown in Table 1 below:

Table 1 - Comparison of Shear Zones

Zone Details	Hornblende Shear Zone			William Gold Zone			Surluga Deposit ¹		
	Width (m)	G*T ((g/t)*m)	Grade (g/t)	Width (m)	G*T ((g/t)*m)	Grade (g/t)	Width (m)	G*T ((g/t)*m)	Grade (g/t)
Average	10.5	23.0	2.4	13.5	20.9	1.56	10.3	24.7	2.54

Figure 1 - Plan view of the Wawa Gold Corridor



Quentin Yarie, President and Chief Executive Officer of Red Pine, comments, "the Hanging Wall mineralization (Minto Shear Zone and Sunrise Shear Zone) and footwall mineralization (Hornblende and William) have been of interest since Red Pine became involved with the Wawa Gold Project. In house modelling of this mineralization has lead to robust targets which have been successfully followed up through drilling. Hole HS-15-31 is an example of this with intersections of 1.01g/t over 22 metres and 14.28g/t over 2.9 metres in newly modeled zones adjacent to the current deposit."

Mr. Yarie continues, "the gold mineralization in the Sunrise and Mickelson Shear Zones to the east of the Jubilee Shear Zone could represent a separate near surface deposit(s). We will continue our exploration efforts with a goal to continue to expand the known gold resource in the Wawa Gold Corridor."


Discovery of New Gold Bearing Shear Zones and Gold Mineralization between the Shear Zones could Expand the Current near surface resource.

The Hornblende Shear Zone and the William Gold Zone are shown to have grade and thickness similar to the Surluga Deposit of the Jubilee Shear Zone. In addition, new types of gold mineralization are observed between the Shear Zones where gold is not systematically associated with strong shearing.

Here the gold is associated with a combination of weak to moderate-strong shearing and strong hydrothermal replacement in which gold is associated with finely disseminated sulphides.

Dr. Robert (Bob) Dodds, comments, “We have discovered multiple zones of mineralization beyond the one million ounce gold resource of the Surluga Deposit. The discovery of near surface gold mineralization in the newly sampled Shear Zones and between the Jubilee and Hornblende Shears represents a valid target to increase the current pit constrained resource. The Companies believe the area between the Hornblende, Jubilee and Minto Shear Zones could host many additional gold zones based on the significant gold intersections discovered in these areas to date.”

Figure 2 -- Oblique (173.5°) section showing extensive mineralization between the Shear and Gold Zones
Long section showing some of the gold zones of the Wawa Gold Corridor



The section is not perpendicular to all the structures which results in apparent dip on the section; Section width = 65m; Section orientation = 173.5°

Please see below for a composite table of all 2015 drill holes with gold intersections between the Hornblende Shear Zone and the Mickelson Shear Zone. These holes are in addition to the holes drilled into the known gold resource and are therefore not included in the current resource. The Companies are very encouraged by these results. See Table 2.

Table 2a - The Hanging wall:

Line	From (m)	To (m)	Gold ("Au") intersection
SD-14-01	74.45	82.05	7.6m @ 1.08 g/t Au
SD-14-02	78.5	86	7.5m @ 1.07 g/t Au
SD-14-06	7	19.5	12.5m @ 1.00 g/t Au
including	10.61	12.45	1.8m @ 6.05 g/t Au
SD-15-07	51.1	52	0.9m @ 1.50 g/t Au
SD-15-07	60	93	33.0m @ 1.03 g/t Au
including	63	68	5.0m @ 5.64 g/t Au
SD-15-07	195	197	2.0m @ 1.18 g/t Au
SD-15-08	45	47	2.0m @ 1.47 g/t Au
SD-15-17	141.9	145	3.1m @ 1.41 g/t Au

The mineralization in the hanging wall presents significant upside to the pit constrained inferred resource. Aside from recent drill intersections, the Minto and Sunrise Mines operated entirely in the hanging wall, which provides further confidence that mineralized bodies within this section of the

property could be defined and incorporated into the current deposit. Over 20,000 ounces of gold were produced at a reported grade of 12.55g/t from the Minto Mine.

Table 2b - The Footwall

Line	From (m)	To (m)	Gold ("Au") intersection
SD-15-11	185.29	228	42.7m @ 2.48 g/t Au
including	191.13	201.05	9.9m @ 5.37 g/t Au
including	211	220.86	9.9m @ 5.30 g/t Au
SD-15-14	276	290.29	14.3m @ 1.00 g/t Au
including	273	273.18	0.2m @ 5.00 g/t Au
including	281	283	2.0m @ 5.67 g/t Au
SD-15-24	156	157.4	1.4m @ 1.40 g/t Au
SD-15-24	161	162	1.0m @ 2.88 g/t Au
HS-15-27	13.6	38	24.4m @ 1.01 g/t Au
including	25	27.4	2.4m @ 5.90 g/t Au
HS-15-28	20.5	37	16.5m @ 1.04 g/t Au
including	29.5	30.5	1.0m @ 5.77 g/t Au
HS-15-29	146	150	4.0m @ 1.19 g/t Au
HS-15-29	163.9	166.5	2.6m @ 1.14 g/t Au
HS-15-29	169.5	171	1.5m @ 1.17 g/t Au
HS-15-30	0.6	21.64	21.0m @ 1.06 g/t Au
including	12.84	14	1.2m @ 5.22 g/t Au
HS-15-30	153.5	166	12.5m @ 1.21 g/t Au
HS-15-31	186	202	16.0m @ 1.22 g/t Au
HS-15-31	325	370	45.0m @ 1.02 g/t Au
including	346.5	354.5	8.0m @ 5.63 g/t Au

The Footwall

The Hornblende Shear Zone, located 300 metres west of the Surluga Shear, even with intersections such as **3.01 g/t gold over 10.7 metres** (U0007L7) was not viewed as a valid target. After extensive data analysis and a surface sampling program, Red Pine discovered that the Hornblende Shear is a sub-parallel feature to the Surluga Deposit. Five holes were drilled in the summer of 2015. All 5 holes intersected gold mineralization with spacing as far as 700 metres. Highlights from these intersections include **3.11 g/t over 8.1 metres** (HS-15-27) and **14.28 g/t over 2.9 metres** (HS-15-31).



Immediate Next Steps – Exploration – Improve Gold Grade and Pit Constrained Resource

The Companies' winter 2016 exploration program will focus on increasing the grade of the pit-constrained resources by defining gold zones immediately to the east and west of the Surluga Deposit. This will be achieved by the following:

- Extending the gold-bearing structures of the Hornblende Shear Zone, William Gold Zone and Jubilee Shear Zone with drilling and ground geophysics;
- Improve the grade of the Surluga Deposit inferred resource by sampling historic drill holes in the Jubilee Shear Zone that were not entirely sampled in the past; and,
- Improving the near surface gold resource of the Surluga Deposit by re-sampling historic core in the hanging wall of the inferred resources (area immediately to the east) to better characterize the identified gold zones sparsely sampled by previous operators.

Immediate Next Steps – Corporate – Finance the Companies and Complete the Merger of Red Pine and Augustine

On December 17, 2015, Red Pine and Augustine Ventures conjointly signed a Letter of Intent to merge. The merged exploration company will own 60% of the Wawa Gold Project.

Augustine has announced the details of its brokered private placement financing of up to \$1 million priced at 5.5 cents per unit with IBK Capital Corp. Red Pine is currently pursuing non-dilutive methods of financing including but not limited to divesting of assets not related to the Wawa Gold Project and the collection of receivables. If Red Pine decides to finance by way of an equity issue, it will be priced in the context of the share exchange ratio of 0.8 shares of Augustine for a share of Red Pine as per the LOI. If necessary the Red Pine offering would be done at 7 cents per unit.

The Companies are focused on completing their money raising efforts and the merger. Led by an experienced technical and management team, the merged exploration company will own 60% of the Wawa Gold Project. It will be well positioned to further the Wawa Gold Project exploration and development and will continue to enhance long-term shareholder value.

Qualified Person

Quentin Yarie, P. Geo., is the qualified person responsible for preparing, supervising and approving the scientific and technical content of this news release.

About Augustine Ventures Inc.

Augustine Ventures Inc. is a junior gold exploration company headquartered in Toronto, Ontario, Canada. The Company's common shares trade on the CSE under the symbol "WAW".

Augustine has a 30% interest in the Wawa Gold Project and has entered into a Joint Venture Agreement ("JVA") with Citabar LLP and Red Pine Exploration Inc. The Wawa Gold Project is now owned by Citabar/Red Pine/Augustine in the ratio of 40%, 30% and 30%, respectively.

For more information about the Augustine visit www.augustineventures.com, or contact Bob Dodds, CEO of Augustine at (905) 599-2025, bdodds@augustineventures.com





About Red Pine Exploration Inc.

Red Pine Exploration Inc. is a gold and base-metals exploration company headquartered in Toronto, Ontario, Canada. The Company's common shares trade on the TSX Venture Exchange under the symbol "RPX".

Red Pine has a 30% interest in the Wawa Gold Project and is part of a Joint Venture Agreement (JVA) with Citabar LLP and Augustine Ventures Inc. Under the terms of the JVA, Red Pine is the Operating Manager and continues to explore and advance the current gold resource on the property.

Or contact:

Quentin Yarie, President & CEO, (416) 364-7024, qyarie@redpineexp.com

Or Mia Boiridy, Investor Relations, (416) 364-7024, mboiridy@redpineexp.com

¹NI 43-101 inferred resource of **1,088,000 ounces of gold at a 1.71 grams per tonne (g/t)** using a 0.40 g/t gold cut-off grade for pit-constrained and 2.50 g/t gold cut-off grade for underground-constrained resources (overall cut-off grade of 0.5 g/t), contained in 19.82 million tonnes open along strike and at depth. The Cut-off grades are based on a gold price of US\$1,250 per ounce and a gold recovery of 95 percent (Mineral Resource Statement*, Surluga-JubileeGoldDeposit,WawaGoldProject,Ontario,SRK Consulting (Canada) Inc (effective May 26, 2015)). The report is available on www.SEDAR.com under Red Pine's profile.

This news release may contain forward-looking statements. All statements, other than of historical fact, that address activities, events or developments that the Company believes, expects or anticipates will or may occur in the future (including, without limitation, statements regarding the estimation of mineral resources, exploration results, potential mineralization, potential mineral resources and mineral reserves) are forward-looking statements. Forward-looking statements are often identifiable by the use of words such as "anticipate", "believe", "plan", "may", "could", "would", "might" or "will", "estimates", "expect", "intend", "budget", "scheduled", "forecasts" and similar expressions or variations (including negative variations) of such words and phrases. Forward-looking statements are subject to a number of risks and uncertainties, many of which differ materially from those discussed in the forward-looking statements. Factors that could cause actual results or events to differ materially from current expectations include, among other things, without limitation, failure to establish estimated mineral resources, the possibility that future exploration results will not be consistent with the Company's expectations, the price of gold and other risks identified in the Company's most recent filings with Canadian securities regulatory authorities on SEDAR.com. Any forward-looking statement speaks only as of the date on which it is made and, except as may be required by applicable securities laws, the Company disclaims any intent or obligation to update any forward-looking statement.